

CATALOGUE



IAN LIGHTING

NEW RECESSED CEILING LIGHTING COLLECTION

For more information, please visit

WWW.IANLED.COM

COMPANY PROFILE

As Lighting plays a wonderful & important role in our life .

We become one of the excellent **ONE STATION** lighting Manufacturer.as well as providing OEM&ODM service and with the best lighting solutions.

Lighting not giving brightness but also decorated where every you want..Special in LED lighting,as it is green to the world.

With +18 years Experienced in **Researching , Engineering Developing, and Producing** of indoor and outdoor lighting items.

For indoor lighting such as Fancy decorative light ,Ceiling lights ,Track light,Spotlights ,Down light,Aluminium profile lights,Linear strips.

As well as outdoor lighting such as Floor lamp,Street light,Outdoor spots,Wall washers,Outdoor wall lights ,Solar lightings and so on.

as we had strong mind for using good quality raw material and as well a good service..with the rich experience we also can guide you very well for maintainence.we can assure you 5 years gurantee according to your inquiry..

Since year of 2007,IAN LED lighting factory concentrate on producing good quality lighting products and dealing with +150 countries.

we always strive for excellence, aims to supply the best quality and reasonable price products and the best services, for winning customers' hearts and trusts.



Looking forward to cooperate with you!

CONTENTS

REGULAR STYLE

CURVED SURFACE RING- ADJUSTABLE 01 > 07

NARROW RING-ADJUSTABLE 08 > 14

WIDE RING-ADJUSTABLE 15 > 21

ROUND TRIMLESS-ADJUSTABLE 22 > 28

CURVED SURFACE RING-FIXED 29 > 37

NARROW RING-FIXED 38 > 46

WIDE RING-FIXED 47 > 55

ROUND TRIMLESS-FIXED 56 > 64

SPECIAL EDITION

SMALL HOLE SPOT LIGHT 65 > 68

MIRROR SPOT LIGHT 69 > 75

SNOOT SPOTLIGHT 76 > 82

WALL WASHER LIGHT 83 > 94

WATER PROOF SPOT LIGHT 95 > 115




01 > 07


IAN LIGHTING

CURVED SURFACE RING- ADJUSTABLE





 CUT SIZE:55mm



GXC-55-YH

BEAM ANGLE



REFLECTOR




ITEM SIZE	D62*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm




GXC-55-YH-G


BEAM ANGLE




REFLECTOR



ITEM SIZE	D62*H100mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF
	0-10V
<input type="checkbox"/>	<input type="checkbox"/>
	PHASE CUT
	<input type="checkbox"/>



 CUT SIZE:65mm



GXC-65-YH

BEAM ANGLE



REFLECTOR




ITEM SIZE	D72*H89mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-YH

BEAM ANGLE



REFLECTOR




ITEM SIZE	D82*H90mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-YH-G

BEAM ANGLE



REFLECTOR




ITEM SIZE	D82*H120mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-YH

ITEM SIZE	D108*H122mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF

BEAM ANGLE



REFLECTOR



0-10V



PHASE CUT




08 > 14


IAN LIGHTING

NARROW RING-ADJUSTABLE





 CUT SIZE:55mm



GXC-55-RZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D62*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm



GXC-55-RZ-G

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D62*H100mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-RZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D72*H89mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D82*H90mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ-G

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE

D82*H120mm

CUTTING SIZE

D75mm

LIGHT SOURCE

20W

IP

IP20

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

1800lm

MATERIAL

ALUMINUM

DIMMING OPTION


ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-RZ

BEAM ANGLE



BODY COLOR



REFLECTOR



ITEM SIZE	D108*H122mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




15 > 21


IAN LIGHTING

WIDE RING-ADJUSTABLE






 CUT SIZE:55mm



GXC-55-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE

D75*H85mm

CUTTING SIZE

D55mm

LIGHT SOURCE

9W

IP

IP20

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

810lm

MATERIAL

ALUMINUM

DIMMING OPTION


ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm



GXC-55-RK-G

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D75*H100mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-RK

ITEM SIZE D85*H89mm

CUTTING SIZE D65mm

LIGHT SOURCE 10W

IP IP20

TEMP 3000K/4000K/6000K

VOLTAGE AC85-256V

RA >90

LUMENS 900lm

MATERIAL ALUMINUM

DIMMING OPTION ON/OFF



0-10V

PHASE CUT



BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE


MATTE BLACK

SAND SILVER




BRIGHT SILVER

GUN BLACK



 CUT SIZE:75mm



GXC-75-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D95*H90mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-G

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D82*H120mm
CUTTING SIZE	D95mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE	D120*H122mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




22 > 28


IAN LIGHTING

ROUND TRIMLESS-ADJUSTABLE





 CUT SIZE:55mm



GXC-55-R-SLIM

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D80*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm



GXC-55-R-SLIM-G

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D80*H100mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-Y-SLIM

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D90*H89mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-Y-SLIM

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D100*H90mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-R-SLIM-G

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE D100*H120mm

CUTTING SIZE D75mm

LIGHT SOURCE 20W

IP IP20

TEMP 3000K/4000K/6000K

VOLTAGE AC85-256V

RA >90

LUMENS 1800lm

MATERIAL ALUMINUM


DIMMING OPTION ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-R-SLIM

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE	D120*H122mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




29 > 37


IAN LIGHTING

CURVED SURFACE RING-FIXED





 CUT SIZE:55mm



GXC-55-YH-Z

BEAM ANGLE



REFLECTOR




ITEM SIZE	D62*H81mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT






 CUT SIZE:55mm



GXC-55-YH-G-Z

BEAM ANGLE



REFLECTOR




ITEM SIZE	D62*H96mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-YH-Z

BEAM ANGLE



REFLECTOR




ITEM SIZE	D72*H82mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-YH-NZ

BEAM ANGLE



REFLECTOR




ITEM SIZE	D82*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-YH-Z

BEAM ANGLE



REFLECTOR




ITEM SIZE	D82*H84mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-YH-Z-Z

BEAM ANGLE



REFLECTOR



MATTE WHITE

MATTE BLACK

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D82*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	15W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1350lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-YH-G-Z

BEAM ANGLE



REFLECTOR




ITEM SIZE	D82*H114mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-YH-Z

BEAM ANGLE



REFLECTOR



ITEM SIZE	D108*H112mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




38 > 46


IAN LIGHTING

NARROW RING-FIXED





 CUT SIZE:55mm



GXC-55-RZ-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D62*H81mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm



GXC-55-RZ-G-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D62*H96mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-RZ-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE

D72*H82mm

CUTTING SIZE

D65mm

LIGHT SOURCE

10W

IP

IP20

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

900lm

MATERIAL

ALUMINUM

DIMMING OPTION


ON/OFF





0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ-NZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE

D82*H68mm

CUTTING SIZE

D75mm

LIGHT SOURCE

9W

IP

IP20

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

810lm

MATERIAL

ALUMINUM

DIMMING OPTION

ON/OFF




0-10V




PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D82*H84mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ-Z-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER



GUN BLACK


ITEM SIZE	D82*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	15W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1350lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ-G-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER



GUN BLACK


ITEM SIZE	D82*H114mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-RZ-Z

ITEM SIZE D108*H112mm

CUTTING SIZE D95mm

LIGHT SOURCE 25W

IP IP20

TEMP 3000K/4000K/6000K

VOLTAGE AC85-256V

RA >90

LUMENS 2250lm

MATERIAL ALUMINUM

DIMMING OPTION ON/OFF



0-10V

PHASE CUT



BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER


GUN BLACK

47 > 55


IAN LIGHTING

WIDE RING-FIXED





 CUT SIZE:55mm



GXC-55-RK-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D75*H81mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm



GXC-55-RK-G-Z

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D75*H96mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-RK-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D85*H82mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-NZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D95*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D95*H84mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT






 CUT SIZE:75mm



GXC-75-RK-Z-Z

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D95*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	15W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1350lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-G-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D95*H114mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-RK-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE	D120*H112mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




56 > 64


IAN LIGHTING

ROUND TRIMLESS-FIXED





 CUT SIZE:55mm



GXC-55-R-SLIM-Z

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D80*H81mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:55mm



GXC-55-R-SLIM-G-Z

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D80*H96mm
CUTTING SIZE	D55mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXC-65-R-SLIM-Z

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D90*H82mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-R-SLIM-NZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE

D100*H68mm

CUTTING SIZE

D75mm

LIGHT SOURCE

9W

IP

IP20

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

810lm

MATERIAL

ALUMINUM

DIMMING OPTION


ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-R-SLIM-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D100*H84mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-R-SLIM-Z-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D100*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	15W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1350lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-R-SLIM-G-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE

D100*H114mm

CUTTING SIZE

D75mm

LIGHT SOURCE

20W

IP

IP20

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

1800lm

MATERIAL

ALUMINUM

DIMMING OPTION


ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXC-95-R-SLIM-Z

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE	D120*H112mm
CUTTING SIZE	D95mm
LIGHT SOURCE	25W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2250lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




65 > 68


IAN LIGHTING

SMALL HOLE SPOT LIGHT





 CUT SIZE:75mm



GXC-75-RZ-S

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D82*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-S

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D95*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF





0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-Y-SLIM-S

BEAM ANGLE



24°

36°

BODY COLOR



WHITE



BLACK

REFLECTOR




MATTE WHITE



MATTE BLACK



MATTE WHITE
STAIR PATTERN



MATTE BLACK
STAIR PATTERN

ITEM SIZE	D100*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V


PHASE CUT



69 > 75

MIRROR SPOT LIGHT





GXC-75-RZ-J


BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D82*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-J

BEAM ANGLE



15°

35°

BODY COLOR



WHITE



BLACK

REFLECTOR



MATTE WHITE



MATTE BLACK

ITEM SIZE	D95*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT





 CUT SIZE:75mm



GXC-75-Y-SLIM-J


BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D100*H68mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RZ-G-J

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D82*H114mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-RK-G-J

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D95*H114mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-Y-SLIM-G-J

BEAM ANGLE



BODY COLOR



REFLECTOR



ITEM SIZE	D100*H114mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT




76 > 82


IAN LIGHTING

SNOUT SPOT LIGHT





 CUT SIZE:75mm



GXC-75-ZZRZ

BEAM ANGLE




BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

ITEM SIZE	D82*H87mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT





 CUT SIZE:75mm



GXC-75-ZZRZ-G

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

ITEM SIZE	D82*H117mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT





 CUT SIZE:75mm



GXC-75-ZZRK

BEAM ANGLE




BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK


ITEM SIZE	D95*H87mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-ZZRK-G

BEAM ANGLE




BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK


ITEM SIZE	D95*H117mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXC-75-R-ZZSLIM

BEAM ANGLE




BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK


ITEM SIZE	D100*H87mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT






 CUT SIZE:75mm



GXC-75-R-ZZSLIM-G

BEAM ANGLE




BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

ITEM SIZE	D100*H117mm
CUTTING SIZE	D75mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V


PHASE CUT




83 > 90

WALL WASHER LIGHT






CUT SIZE:55mm



GXYP-55-RZ

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER

ITEM SIZE	D62*H78mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT





 CUT SIZE:75mm



GXYP-75-RZ

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER

ITEM SIZE	D82*H91mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT





 CUT SIZE:95mm



GXYP-95-RZ

ITEM SIZE	D108*H103mm
CUTTING SIZE	D95mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT



BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR




BRIGHT SILVER


87 > 90

WALL WASHER LIGHT





 CUT SIZE:55mm



GXYP-55-RK

ITEM SIZE	D75*H78mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER




0-10V




PHASE CUT





 CUT SIZE:75mm



GXYP-75-RK

ITEM SIZE	D95*H91mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER




0-10V




PHASE CUT






 CUT SIZE:95mm



GXYP-95-RK

ITEM SIZE	D120*H103mm
CUTTING SIZE	D95mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER



0-10V




PHASE CUT




91 > 94

WALL WASHER LIGHT






 CUT SIZE:55mm



GXYP-55-R-SLIM

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER

ITEM SIZE	D80*H78mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT






 CUT SIZE:75mm



GXYP-75-R-SLIM

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER

ITEM SIZE	D100*H91mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V




PHASE CUT






 CUT SIZE:95mm



GXYP-95-R-SLIM

ITEM SIZE	D120*H103mm
CUTTING SIZE	D95mm
LIGHT SOURCE	20W
IP	IP20
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1800lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF

BEAM ANGLE



BODY COLOR



WHITE



BLACK

REFLECTOR



BRIGHT SILVER



0-10V



PHASE CUT



95 > 115


WATER PROOF SPOT LIGHT




96 > 100

WATER PROOF SPOT LIGHT






 CUT SIZE:55mm



GXY-55-YH

BEAM ANGLE



REFLECTOR




ITEM SIZE	D62*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXY-65-YH

BEAM ANGLE



REFLECTOR




ITEM SIZE	D72*H89mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXY-75-YH

BEAM ANGLE



REFLECTOR




ITEM SIZE	D82*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXY-95-YH

BEAM ANGLE



REFLECTOR



ITEM SIZE	D108*H123mm
CUTTING SIZE	D95mm
LIGHT SOURCE	24W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2160lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V


PHASE CUT




101 > 104

WATER PROOF SPOT LIGHT





 CUT SIZE:55mm



GXY-55-RZ

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D62*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXY-65-RZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D72*H89mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXY-75-RZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER



GUN BLACK

ITEM SIZE

D82*H98mm

CUTTING SIZE

D75mm

LIGHT SOURCE

12W

IP

IP65

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

1080lm

MATERIAL

ALUMINUM

DIMMING OPTION

ON/OFF




0-10V




PHASE CUT





 CUT SIZE:95mm



GXY-95-RZ

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE

D108*H123mm

CUTTING SIZE

D95mm

LIGHT SOURCE

24W

IP

IP65

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

2160lm

MATERIAL

ALUMINUM

DIMMING OPTION

ON/OFF




0-10V


PHASE CUT




106 > 109

WATER PROOF SPOT LIGHT





 CUT SIZE:55mm



GXY-55-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D75*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXY-65-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK


ITEM SIZE	D85*H89mm
CUTTING SIZE	D65mm
LIGHT SOURCE	10W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	900lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:75mm



GXY-75-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D95*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:95mm



GXY-95-RK

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE	D120*H123mm
CUTTING SIZE	D95mm
LIGHT SOURCE	24W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2160lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V


PHASE CUT




111 > 114

WATER PROOF SPOT LIGHT





 CUT SIZE:55mm



GXY-55-R-SLIM

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK


ITEM SIZE	D80*H85mm
CUTTING SIZE	D55mm
LIGHT SOURCE	9W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	810lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT





 CUT SIZE:65mm



GXY-65-R-SLIM

BEAM ANGLE



BODY COLOR



WHITE

BLACK

REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER

BRIGHT SILVER

GUN BLACK

ITEM SIZE

D90*H89mm

CUTTING SIZE

D65mm

LIGHT SOURCE

10W

IP

IP65

TEMP

3000K/4000K/6000K

VOLTAGE

AC85-256V

RA

>90

LUMENS

900lm

MATERIAL

ALUMINUM

DIMMING OPTION


ON/OFF




0-10V

PHASE CUT






 CUT SIZE:75mm



GXY-75-R-SLIM

BEAM ANGLE



BODY COLOR



REFLECTOR




ITEM SIZE	D100*H98mm
CUTTING SIZE	D75mm
LIGHT SOURCE	12W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	1080lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF




0-10V

PHASE CUT






 CUT SIZE:95mm



GXY-95-R-SLIM

BEAM ANGLE



BODY COLOR



WHITE

BLACK


REFLECTOR



MATTE WHITE

MATTE BLACK

SAND SILVER



BRIGHT SILVER

GUN BLACK

ITEM SIZE	D120*H123mm
CUTTING SIZE	D95mm
LIGHT SOURCE	24W
IP	IP65
TEMP	3000K/4000K/6000K
VOLTAGE	AC85-256V
RA	>90
LUMENS	2160lm
MATERIAL	ALUMINUM
DIMMING OPTION	ON/OFF



0-10V

PHASE CUT



THANK YOU!